

**DEPARTMENT OF TRANSPORTATION**

ESC/OE MS #43  
1727 30TH Street, 2ND Floor  
Sacramento, CA 95816



November 9, 2000

04-Ala,CC-24-R9.5/10.0,R0.0/0.5  
04-163644  
ACNH-P024(027)E

Addendum No. 4

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in ALAMEDA AND CONTRA COSTA COUNTIES IN AND NEAR OAKLAND AT CALDECOTT TUNNEL FROM 0.4 km WEST TO 0.5 km EAST OF ALAMEDA-CONTRA COSTA COUNTY LINE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on November 14, 2000.

This addendum is being issued to revise the Notice to Contractors and Special Provisions.

In the Special Provisions, Section 10-1.13, "ALUMINUM LOUVER AND BORDER PLATE UNITS," the fifth paragraph is revised to read as follows:

"Aluminum sheets used to fabricate the new louvers, border plates, aluminum caps, and aluminum splice plates shall be ASTM Designation B 209. Aluminum sheets shall have a clear anodized finish conforming with the Aluminum Association Designation AA-M12C22A41."

In the Special Provisions, Section 10-3.09A, "WALL MOUNTED LUMINAIRES," subsection "LENS ASSEMBLY," the last sentence of the first paragraph is revised to read as follows:

"The lens shall be 3.2 mm minimum thickness and shall be made of impact resistant borosilicate prismatic glass."

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 4  
Page 2  
November 9, 2000

04-Ala,CC-24-R9.5/10.0 R0.0/0.5  
04-163644  
ACNH-P024(027)E

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

NICK YAMBAO, Chief  
Office of Plans, Specifications & Estimates  
Division of Office Engineer